

**BID DATE: 08/12/2021
KINSLEY NO. 213092**

| Line No. | Alt Code | Item No. | Short Description | QTY | Unit | Unit Price |
|----------|----------|-----------|--|------|------|------------|
| 1 | | 0203-0001 | CLASS 1 EXCAVATION | 19 | CY | |
| 2 | | 0204-0150 | CLASS 4 EXCAVATION | 53 | CY | |
| 3 | | 0212-0014 | GEOTEXTILE CLASS 4 TYPE A | 101 | SY | |
| 4 | | 0313-0426 | SUPERPAVE ASPHALT MIXTURE DESIGN BASE COURSE PG 64S-22 0.3 TO < 3 MILLION ESALS 25.0 MM MIX 6" DEPTH | 101 | SY | |
| 5 | | 0350-0106 | SUBBASE 6" DEPTH (NO. 2A) | 101 | SY | |
| 6 | | 0413-0245 | SUPERPAVE ASPHALT MIXTURE DESIGN WEARING COURSE PG 64S-22 0.3 TO < 3 MILLION ESALS 9.5 MM MIX 1 1/2" DEPTH SRL-H | 1287 | SY | |
| 7 | | 0413-1024 | SUPERPAVE ASPHALT MIXTURE DESIGN WEARING COURSE (SCRATCH) PG 64S-22 0.3 TO < 3 MILLION ESALS 9.5 MM MIX SRL-L | 87 | TON | |
| 8 | | 0413-6048 | SUPERPAVE ASPHALT MIXTURE DESIGN BINDER COURSE PG 64S-22 0.3 TO < 3 MILLION ESALS 19.0 MM MIX 3 1/2" DEPTH | 101 | SY | |
| 9 | | 0460-0001 | ASPHALT TACK COAT | 1170 | SY | |
| 10 | | 0491-0014 | MILLING OF ASPHALT PAVEMENT SURFACE 2 1/2" DEPTH MILLED MATERIAL RETAINED BY CONTRACTOR | 1170 | SY | |
| 11 | | 4504-0001 | PAVEMENT RELIEF JOINT (MODIFIED) | 106 | LF | |
| 12 | 10 | 0601-7708 | 18" REINFORCED CONCRETE PIPE TYPE B 7'- 3' FILL SHORE/TRENCH BOX | 33 | LF | |
| 13 | 11 | 0601-4363 | 18" CORRUGATED ALUMINIZED STEEL PIPE TYPE I (2 2/3" X 1/2" CORR.) 16 GAGE SHORE/TRENCH BOX | 33 | LF | |
| 14 | 20 | 0601-9363 | 18" CORRUGATED ALUMINIZED STEEL PIPE TYPE I (2 2/3" X 1/2" CORR.) 16 GAGE | 32 | LF | |
| 15 | 21 | 0601-2823 | 18" CORRUGATED ALUMINUM ALLOY PIPE TYPE I (2 2/3" X 1/2" CORR.) 16 GAGE | 32 | LF | |
| 16 | | 0605-2710 | TYPE C CONCRETE TOP UNIT AND GRATE | 2 | SET | |
| 17 | | 0605-2850 | STANDARD INLET BOX HEIGHT < /= 10' | 2 | EA | |
| 18 | | 0608-0001 | MOBILIZATION | 1 | LS | |
| 19 | | 0609-0003 | INSPECTOR'S FIELD OFFICE AND INSPECTION FACILITIES TYPE B | 1 | LS | |
| 20 | | 0609-0009 | EQUIPMENT PACKAGE | 1 | LS | |
| 21 | | 0620-0011 | TYPICAL AND ALTERNATE CONCRETE BRIDGE BARRIER TRANSITION WITH INLET PLACEMENT | 1 | EA | |
| 22 | | 0620-0500 | RESET GUIDE RAIL | 293 | LF | |
| 23 | | 4620-0500 | RESET GUIDE RAIL (TRANSITION) | 13 | LF | |
| 24 | | 0620-0548 | GUIDE RAIL POSTS | 3 | EA | |
| 25 | | 0624-0001 | RIGHT-OF-WAY FENCE TYPE 1 | 70 | LF | |
| 26 | | 0624-0275 | REMOVAL OF EXISTING RIGHT-OF-WAY FENCE | 70 | LF | |
| 27 | | 0624-0300 | END POSTS FOR TYPE 1 RIGHT-OF-WAY FENCE | 2 | EA | |
| 28 | | 0624-0500 | PULL POSTS FOR TYPE 1 RIGHT-OF-WAY FENCE | 5 | EA | |
| 29 | | 0627-3090 | TEMPORARY BARRIER TEST LEVEL 3 BARRIER DEFLECTION DISTANCE < /=9' | 1299 | LF | |
| 30 | | 0628-3090 | RESET TEMPORARY BARRIER TEST LEVEL 3 BARRIER DEFLECTION DISTANCE < /=9' | 1406 | LF | |
| 31 | | 0636-0001 | ASPHALT CONCRETE CURB | 293 | LF | |
| 32 | | 0680-0120 | MEMBRANE WATERPROOFING SYSTEM INSTALLED ON BRIDGE DECK | 438 | SY | |
| 33 | | 0686-0060 | CONSTRUCTION SURVEYING TYPE D MODIFIED | 1 | LS | |
| 34 | | 0689-0005 | CPM SCHEDULE WITH UPDATES | 1 | LS | |
| 35 | | 0690-0001 | INTERNAL FACILITATION | 1000 | DOL | 1 |
| 36 | | 0696-0610 | TEMPORARY IMPACT ATTENUATING DEVICE TYPE V (STANDARD) TEST LEVEL 3 | 4 | EA | |
| 37 | | 0697-0610 | RESET TEMPORARY IMPACT ATTENUATING DEVICE TYPE V (STANDARD) TEST LEVEL 3 | 8 | EA | |
| 38 | | 0804-0003 | SEEDING AND SOIL SUPPLEMENTS - FORMULA D INCLUDING MULCH | 2 | LB | |
| 39 | | 0804-0004 | SEEDING - FORMULA E INCLUDING MULCH | 2 | LB | |
| 40 | | 0804-0006 | SEEDING AND SOIL SUPPLEMENTS - FORMULA L INCLUDING MULCH | 1 | LB | |
| 41 | | 0805-0050 | MULCH CONTROL NETTING | 18 | SY | |
| 42 | | 0806-0113 | TEMPORARY SHORT-TERM ROLLED EROSION CONTROL PRODUCT TYPE 2D | 18 | SY | |
| 43 | | 0810-0026 | TREE TRIMMING TO A MAX HEIGHT OF 20' | 60 | LF | |
| 44 | | 0810-0052 | SELECTIVE TREE REMOVAL | 14 | EA | |
| 45 | | 0849-0010 | ROCK CONSTRUCTION ENTRANCE | 2 | EA | |
| 46 | | 0850-0032 | ROCK CLASS R-4 | 2 | CY | |
| 47 | | 0860-0012 | CONCRETE BLOCK/GRAVEL INLET PROTECTION FOR TYPE C INLET | 8 | EA | |
| 48 | | 0867-0012 | COMPOST FILTER SOCK 12" DIAMETER | 36 | LF | |
| 49 | | 0867-0018 | COMPOST FILTER SOCK 18" DIAMETER | 261 | LF | |

**BID DATE: 08/12/2021
KINSLEY NO. 213092**

| Line No. | Alt Code | Item No. | Short Description | QTY | Unit | Unit Price |
|----------|----------|-----------|---|-------|------|------------|
| 50 | | 0901-0001 | MAINTENANCE AND PROTECTION OF TRAFFIC DURING CONSTRUCTION | 1 | LS | |
| 51 | | 0901-0002 | MAINTENANCE AND PROTECTION OF TRAFFIC DURING CONSTRUCTION | 1 | LS | |
| 52 | | 0901-0003 | MAINTENANCE AND PROTECTION OF TRAFFIC DURING CONSTRUCTION | 1 | LS | |
| 53 | | 0901-0004 | MAINTENANCE AND PROTECTION OF TRAFFIC DURING CONSTRUCTION | 1 | LS | |
| 54 | | 0901-0005 | MAINTENANCE AND PROTECTION OF TRAFFIC DURING CONSTRUCTION | 1 | LS | |
| 55 | | 0901-0006 | MAINTENANCE AND PROTECTION OF TRAFFIC DURING CONSTRUCTION | 1 | LS | |
| 56 | | 0901-0007 | MAINTENANCE AND PROTECTION OF TRAFFIC DURING CONSTRUCTION | 1 | LS | |
| 57 | | 0901-0008 | MAINTENANCE AND PROTECTION OF TRAFFIC DURING CONSTRUCTION | 1 | LS | |
| 58 | | 0901-0203 | ARROW PANEL | 2 | EA | |
| 59 | | 0901-0231 | ADDITIONAL WARNING LIGHTS TYPE B | 320 | DAY | |
| 60 | | 0901-0240 | ADDITIONAL TRAFFIC CONTROL SIGNS | 350 | SF | |
| 61 | | 0901-0320 | 4" STANDARD PAVEMENT MARKINGS PAINT & BEADS YELLOW | 980 | LF | |
| 62 | | 0901-0330 | 4" STANDARD PAVEMENT MARKINGS PAINT & BEADS WHITE | 1408 | LF | |
| 63 | | 0901-0451 | 3-LINE CHANGEABLE MESSAGE SIGN WITHOUT TELECOMMUNICATIONS | 2 | EA | |
| 64 | | 0931-0001 | POST MOUNTED SIGNS TYPE B | 14 | SF | |
| 65 | | 0937-0106 | GUIDE RAIL MOUNTED DELINEATOR TYPE B (W/B) | 1 | EA | |
| 66 | | 0937-0303 | FLEXIBLE DELINEATOR POST SURFACE-MOUNT TYPE SM-1 RED POST WITH WHITE SHEETING | 3 | EA | |
| 67 | | 0941-0001 | RESET POST MOUNTED SIGNS TYPE B | 1 | EA | |
| 68 | | 0962-1000 | 4" WHITE WATERBORNE PAVEMENT MARKINGS | 4092 | LF | |
| 69 | | 0962-1001 | 6" WHITE WATERBORNE PAVEMENT MARKINGS | 15934 | LF | |
| 70 | | 0962-1004 | 24" WHITE WATERBORNE PAVEMENT MARKINGS | 98 | LF | |
| 71 | | 0962-1005 | 4" YELLOW WATERBORNE PAVEMENT MARKINGS | 15413 | LF | |
| 72 | | 0962-1006 | 6" YELLOW WATERBORNE PAVEMENT MARKINGS | 2182 | LF | |
| 73 | | 0962-1025 | WHITE WATERBORNE PAVEMENT LEGEND "ONLY" 8'-0" | 5 | EA | |
| 74 | | 0962-1059 | WHITE WATERBORNE PAVEMENT LEGEND "STRAIGHT ARROW" 6'-0" X 1'-8" | 3 | EA | |
| 75 | | 0962-1062 | WHITE WATERBORNE PAVEMENT LEGEND "LEFT ARROW" 12'-0" X 3'-0" | 4 | EA | |
| 76 | | 0963-0001 | PAVEMENT MARKING REMOVAL | 72 | SF | |
| 77 | | 0963-0004 | 4" PAVEMENT MARKING REMOVAL | 16551 | LF | |
| 78 | | 0963-0006 | 6" PAVEMENT MARKING REMOVAL | 9913 | LF | |
| 79 | | 0963-0010 | PAVEMENT MARKING REMOVAL (LEGENDS AND SYMBOLS) | 12 | EA | |
| 80 | | 1001-1000 | CLASS AAAP CEMENT CONCRETE | 10 | CY | |
| 81 | | 1001-1080 | CLASS AA CEMENT CONCRETE | 2 | CY | |
| 82 | | 1002-0052 | REINFORCEMENT BARS EPOXY COATED | 2439 | LB | |
| 83 | | 1002-0142 | MECHANICAL SPLICE SYSTEM FOR NO. 6 REINFORCEMENT BARS EPOXY COATED | 48 | EA | |
| 84 | | 1018-0051 | REMOVAL OF PORTION OF EXISTING BRIDGE | 1 | LS | |
| 85 | | 1026-0017 | NEOPRENE STRIP SEAL DAM (4" MOVEMENT) | 144 | LF | |
| 86 | | 1040-0002 | CONCRETE BRIDGE DECK REPAIR TYPE 2 | 58 | SF | |
| 87 | | 1040-0003 | CONCRETE BRIDGE DECK REPAIR TYPE 3 | 7 | SF | |
| 88 | | 1040-0022 | CONCRETE BRIDGE DECK REPAIR TYPE 2 | 192 | SF | |
| 89 | | 1040-0120 | CONCRETE BRIDGE DECK REPAIR ACCELERATED TYPE 2 USING ASC | 165 | SF | |
| 90 | | 1041-0010 | SCARIFICATION 1/4" DEPTH | 2694 | SY | |
| 91 | | 1041-0011 | SCARIFICATION 1/4" DEPTH | 2858 | SY | |
| 92 | | 1046-0010 | EPOXY OVERLAY | 338 | SY | |
| 93 | | 1047-0010 | POLYESTER POLYMER CONCRETE OVERLAY 1" | 1355 | SY | |
| 94 | | 1050-0120 | FABRICATED STRUCTURAL STEEL REPAIR UNPAINTED | 1289 | LB | |
| 95 | | 1090-1000 | PREFORMED NEOPRENE COMPRESSION SEAL REPLACEMENT | 340 | LF | |
| 96 | | 1090-1017 | NEOPRENE STRIP SEAL GLAND REPLACEMENT | 290 | LF | |
| 97 | | 1090-1018 | PRESTRESSED CONCRETE BEAM REPAIRS | 12 | SF | |
| 98 | | 1091-0331 | EPOXY INJECTION CRACK SEAL | 12 | LF | |
| 99 | | 9000-0001 | SEAL CASING PIPE IN ABUTMENTS S-40096 | 6 | CF | |
| 100 | | 9000-0002 | REPAIR DETERIORATED CONCRETE S-40096 | 436 | SF | |
| 101 | | 9000-0003 | SEAL JOINTS IN CONCRETE BARRIERS S-40096 | 154 | LF | |
| 102 | | 9000-0004 | CONCRETE SPALL REPAIR TYPE 1 PEDESTAL REPAIR S-40096 | 56 | SF | |
| 103 | | 9000-0005 | CONCRETE SPALL REPAIR TYPE 2 PEDESTAL REPAIR S-40096 | 43 | SF | |
| 104 | | 9000-0007 | SUPPLEMENTAL BRACKET S-40221 | 5 | EA | |
| 105 | | 9000-0008 | DOWNSPOUTING RELOCATION S-40221 | 1 | EA | |

**BID DATE: 08/12/2021
KINSLEY NO. 213092**

| Line No. | Alt Code | Item No. | Short Description | QTY | Unit | Unit Price |
|----------|----------|-----------|---|--------|------|------------|
| 106 | | 9000-0009 | JACKING BRIDGE SUPERSTRUCTURE S-40221 | 1 | EA | |
| 107 | | 9000-0010 | BEARING RELOCATION S-40221 | 5 | EA | |
| 108 | | 9000-0011 | EPOXY INJECTION CRACK SEAL S-40098 | 120 | LF | |
| 109 | | 9000-0012 | REPAIR DETERIORATED CONCRETE - OVERHEAD S-40098 | 29 | SF | |
| 110 | | 9000-0013 | REPAIR DETERIORATED CONCRETE S-40098 | 19 | SF | |
| 111 | | 9000-0014 | SEAL JOINTS IN CONCRETE BARRIERS S-40098 | 151 | LF | |
| 112 | | 9000-0015 | UNFORESEEN ROADWAY REPAIR S-40098 | 10000 | DOL | 1 |
| 113 | | 9000-0016 | CONCRETE SPALL REPAIR BEAM TYPE 2 S-40222 | 75 | SF | |
| 114 | | 9000-0017 | BEAM END SEALING S-40222 | 271 | SY | |
| 115 | | 9000-0018 | RESEAL DECK JOINT (LONGITUDINAL JOINT) S-40222 | 1219 | LF | |
| 116 | | 9000-0019 | BEARING REPLACEMENT S-40219 | 12 | EA | |
| 117 | | 9000-0020 | JACKING BRIDGE SUPERSTRUCTURE S-40219 | 1 | EA | |
| 118 | | 9000-0021 | TIEBACK ANCHOR S-40219 | 4 | EA | |
| 119 | | 9000-0022 | BRIDGE CLEANING S-40219 | 1 | LS | |
| 120 | | 9000-0023 | CONCRETE SPALL REPAIR SUBSTRUCTURE TYPE 2 S-40219 | 56 | SF | |
| 121 | | 9000-0024 | CONCRETE BRIDGE DECK REPAIR TYPE 2 SHORT-TERM S-40219 | 167 | SF | |
| 122 | | 9000-0025 | ARMORED JOINT MODIFICATION S-40219 | 307 | LF | |
| 123 | | 9000-0026 | EPOXY INJECTION CRACK SEAL S-40219 | 66 | LF | |
| 124 | | 9000-0027 | POLYESTER POLYMER CONCRETE (PPC) OVERLAY 1" S-40219 | 958 | SY | |
| 125 | | 9000-0029 | TEMPORARY PROTECTIVE FENCE FOR PEDESTRIANS | 200 | LF | |
| 126 | | 9000-0030 | DETOUR ROUTE PAVEMENT DOCUMENTATION S-40098 | 1 | LS | |
| 127 | | 9000-0031 | EPOXY INJECTION CRACK SEAL S-40095 | 25 | LF | |
| 128 | | 9000-0032 | SEAL JOINTS IN CONCRETE BARRIERS S-40095 | 72 | LF | |
| 129 | | 9000-0033 | REMOVE EXISTING STEEL SIGN SUPPORTS S-40095 | 3 | EA | |
| 130 | | 9000-0034 | WINGWALL TIEBACK ANCHORS S-40095 | 1 | LS | |
| 131 | | 9000-0035 | REPAIR DETERIORATED CONCRETE - OVERHEAD S-40095 | 29 | SF | |
| 132 | | 9000-0036 | REPAIR DETERIORATED CONCRETE S-40095 | 52 | SF | |
| 133 | | 9000-0037 | BEARING REPLACEMENT S-40220 | 12 | EA | |
| 134 | | 9000-0038 | JACKING BRIDGE SUPERSTRUCTURE S-40220 | 1 | EA | |
| 135 | | 9000-0039 | TIEBACK ANCHOR S-40220 | 2 | EA | |
| 136 | | 9000-0040 | BRIDGE CLEANING S-40220 | 1 | LS | |
| 137 | | 9000-0041 | CONCRETE SPALL REPAIR SUBSTRUCTURE TYPE 2 S-40220 | 9 | SF | |
| 138 | | 9000-0042 | CONCRETE BRIDGE DECK REPAIR TYPE 2 SHORT-TERM S-40220 | 57 | SF | |
| 139 | | 9000-0043 | TERMINAL BARRIER REPLACEMENT S-40220 | 1 | LS | |
| 140 | | 9000-0044 | REMOVAL OF PORTION OF EXISTING BRIDGE S-40220 | 1 | LS | |
| 141 | | 9000-0045 | ARMORED JOINT MODIFICATION S-40220 | 316 | LF | |
| 142 | | 9000-0046 | EPOXY INJECTION CRACK SEAL S-40220 | 81 | LF | |
| 143 | | 9000-0047 | POLYESTER POLYMER CONCRETE (PPC) OVERLAY 1" S-40220 | 1014 | SY | |
| 144 | | 9000-0048 | PREFORMED NEOPRENE COMPRESSION SEAL REPLACEMENT S-40220 | 348 | LF | |
| 145 | | 9000-0049 | EPOXY INJECTION CRACK SEAL S-40222 | 38 | LF | |
| 146 | | 9000-0050 | UNFORESEEN BRIDGE REPAIRS | 221000 | DOL | 1 |